



## 1 SpeciesTable

Listed in the table below are the default values for all parameters for all AgPasture species.





Parameter name	Ryegr	WhiteC	Brown	Cocks	Kikuy	Lucer	Paspa	Phala	RedClo	Rhod	TallFescue
Stolon.DeadTissue.Fraction	0.02	0.02	0.02	0.02	0	0	0	0	0	0	0
Stolon.DeadTissue.Digestibility	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Root.NConcOptimum	0.02	0.0225	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
Root.NConcMinimum	0.006	0.01	0.006	0.006	0.006	0.006	0.006	0.006	0.006	0.006	0.006
Root.NConcMaximum	0.025	0.0275	0.025	0.025	0.025	0.025	0.025	0.025	0.025	0.025	0.025
Root.RootDistributionDepth	90	90	100	100	95	75	70	80	72		
Root.RootDistributionExponent	3.2	3.2	3.7	3.7	3.2	3.7	2.5	3.5	3.6		
Root.RootBottomDistributionFactor	1.05	1.05	1.05	1.05	1.05	1.05	1.05	1.05	1.05	1.05	
Root.SpecificRootLength	45	75	75	75	55	75	75	50	75	75	
Root.RootDepthMin	30	50	50	50	50	50	50	50	50	50	
Root.RootDepthMax	350	1000	1000	1000	1000	1000	1000	1000	1000	1000	
Root.RootElongationRate	25	25	25	25	30	25	30	30	25	30	
Root.KNO3	0.02	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	
Root.KNH4	0.01	0.005	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
Root.MaximumNUptake	10	10	10	10	10	10	10	10	10	10	
Root.ReferenceRLD											
Root.ReferenceKSuptake											
PlantType	AGPRyegrass	AGPRwhitegrass	AGPRbrowngrass	AGPRcocksfoot	AGPRkikuyu	AGPRlucer	AGPRpaspalum	AGPRphalaris	AGPRredclover	AGPRrhodochloa	TallFescue